

**FOUNDATION FOR SCIENCE INNOVATION & DEVELOPMENT (FSID)  
INNOVATION CENTRE, INDIAN INSTITUTE OF SCIENCE (IISc),  
NEAR MARAMMA CIRCLE GATE  
BENGALURU - 560012  
Telephone: 080 – 2346 0622**

**CORRIGENDUM NOTICE**



**Tender/ RFQ Ref. - FSID/INT/08/25-26**




**Description – Procurement of Furniture for Schaeffler Lab Space in the FSID - iHub Building**


**Section 4– Technical specifications**

Technical specifications are listed below.

Sl. No.	Description	Unit	Quantity	Ref. Image
1	Jane sofa 3 seater Aluminium	No	2	
2	Jane sofa 1 seater Aluminium	No	2	
3	Jane sofa table 100x60x42cm (top 100x60cm) Aluminium	No	2	
4	Dining chair - DAC01 - Flat rope weaving with back cushion	No	6	
5	Jill dining round table D.100 x H.74cm	No	1	

6	<p>LINEAR WORKSTATION 8 seater sharing  Size:1200 x 600 x 750  Specifications  Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges  Support:  End Legs: MS powder coatedSWITCH ANGULAR ANGULAR legs  Intermediate Legs: MS podwer coated 60X40mm legs and supporting MS cross beams (40X20mm)  MODESTY PANEL-HANGING MODESTY PANEL MAIN SPINE  AISLE MODESTY:MS - SQR Perfo two line  PRIVACY SCREENS  8MM COLORED GLASS SCREEN on studs -300ht  Wire Management  125mm Ht Racway with 65mm Dia Wire Manager Grommet  Specifications  Vertical Raceway with built in separator for power and data of size 250H X 70mm thick with provision to mount swicthes and sockets on laminate facia with Vertical Wire Entry cover for wire uptake from floor to raceway with 65mm Dia Wire Manager Grommet.</p>	No	1	
7	<p>LINEAR WORKSTATION 4 seater sharing  Size:1200 x 600 x 750  Specifications  Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges  Support:  End Legs: MS powder coatedSWITCH ANGULAR ANGULAR legs  Intermediate Legs: MS podwer coated 60X40mm legs and supporting MS cross beams (40X20mm)  MODESTY PANEL-HANGING MODESTY PANEL MAIN SPINE  AISLE MODESTY:MS - SQR Perfo two line  PRIVACY SCREENS  8MM COLORED GLASS SCREEN on studs -300ht  Wire Management</p>	No	1	

	<p>125mm Ht Racway with 65mm Dia Wire Manager Grommet Specifications</p> <p>Vertical Raceway with built in separator for power and data of size 250H X 70mm thick with provision to mount swiches and sockets on laminate facia with Vertical Wire Entry cover for wire uptake from floor to raceway with 65mm Dia Wire Manager Grommet.</p>			
8	<p>PEDESTAL</p> <p>SIZE:400 X 450 X 600</p> <p>2 Drawer + 1 Filling</p> <p>Specifications: Top &amp; Sides : 18mm Thk pre laminated particle board</p> <p>Back : 9mm Thk pre laminated particle board</p> <p>Edge : All exposed area with 2mm thick PVC edge lipping</p> <p>Handle : Finger groove handle</p> <p>Lock : Regular lock</p>	No	12	
9	<p>AMAZE MB ML ADJ ARMS</p> <ul style="list-style-type: none"> <li>* Amaze Medium Back Mesh Chair</li> <li>* AN 70 Mesh</li> <li>* Self Calibrating Multilock Mechanism</li> <li>* Adjustable Lumbar Support</li> <li>* One Way Adjustable Arms (Height)</li> <li>* Nylon Base</li> <li>* Fabric Upholstered Cushion Seat</li> </ul> <p>Chair Net Weight: 14.7±0.5 kg, Seat Depth: 485±10mm, Seat Width: 505±10mm, Chair Width: 660±10mm, Chair Depth: 660±10mm, Minimum Chair Height: 990±10mm, Maximum Chair Height: 1090±10mm, Minimum Seat Height: 470±10mm, Maximum Seat Height: 570±10mm, Arm Rest Height: 160-250mm, Arm Depth: 250±10mm, Width (Arm to Arm): 455±10mm, Backrest Height from Seat: 570±10mm, Backrest Width: 425±10mm</p>	No	16	
10	<p>STORAGE</p> <p>Size:900 x 450 x 2100</p> <p>Specifications:</p> <p>Top &amp; Sides : 18mm Thk pre laminated particle board</p> <p>Back : 9mm Thk pre laminated particle board</p> <p>Shutters : 18mm Thk pre laminated particle board</p> <p>Edge : All exposed area with 2mm thick PVC edge lipping</p> <p>Handle : Finger groove handle</p> <p>Lock : Regular lock</p>	No	3	

11	<p>DISCUSSION TABLE:  900 Dia x 750H  Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges End Legs: MS powder coated SWITCH legs. Wire Management: 300mm Aluminium Flip Up and provision to mount switches and sockets on PVC cable dump. Wire Entry: Vertical Wire Entry Cover or Vertebra</p>	No	1	
----	--	----	---	---

Successful Quotationer should submit detailed drawing of furniture, 3D View with furniture layout & furniture samples (whichever required) for approval of Competent Authority prior to Supply/ manufacturing. Images referred above are for illustrative purpose. Actual color of furniture shall be sole discretion of Competent Authority.

## Section9–Commercial Bid

*The commercial bid should be furnished with all requirements of the RFQ with supporting documents as mentioned under:*

Sl. No.	Description	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
1	Jane sofa 3 seater Aluminium	No	2		
2	Jane sofa 1 seater Aluminium	No	2		
3	Jane sofa table 100x60x42cm (top 100x60cm) Aluminium	No	2		
4	Dining chair - DAC01 - Flat rope weaving with back cushion	No	6		
5	Jill dining round table D.100 x H.74cm	No	1		
6	LINEAR WORKSTATION 8 seater sharing Size:1200 x 600 x 750 Specifications Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges Support: End Legs: MS powder coatedSWITCH ANGULAR ANGULAR legs Intermediate Legs: MS podwer coated 60X40mm legs and supporting MS cross beams (40X20mm) MODESTY PANEL-HANGING MODESTY PANEL MAIN SPINE AISLE MODESTY:MS - SQR Perfo two line PRIVACY SCREENS 8MM COLORED GLASS SCREEN on studs -300ht Wire Management 125mm Ht Racway with 65mm Dia Wire Manager Grommet Specifications Vertical Raceway with built in separator for power and data of size 250H X 70mm thick with provision to mount swicthes and sockets on laminate facia with Vertical Wire Entry cover for wire uptake from floor to raceway with 65mm Dia Wire Manager Grommet.	No	1		
7	LINEAR WORKSTATION 4 seater sharing Size:1200 x 600 x 750 Specifications	No	1		

	<p>Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges</p> <p>Support:</p> <p>End Legs: MS powder coatedSWITCH ANGULAR ANGULAR legs</p> <p>Intermediate Legs: MS podwer coated 60X40mm legs and supporting MS cross beams (40X20mm)</p> <p>MODESTY PANEL-HANGING MODESTY PANEL MAIN SPINE AISLE MODESTY:MS - SQR Perfo two line</p> <p>PRIVACY SCREENS 8MM COLORED GLASS SCREEN on studs -300ht</p> <p>Wire Management 125mm Ht Racway with 65mm Dia Wire Manager Grommet</p> <p>Specifications Vertical Raceway with built in separator for power and data of size 250H X 70mm thick with provision to mount swicthes and sockets on laminate facia with Vertical Wire Entry cover for wire uptake from floor to raceway with 65mm Dia Wire Manager Grommet.</p>				
8	<p>PEDESTAL SIZE:400 X 450 X 600 2 Drawer + 1 Filling Specifications: Top &amp; Sides : 18mm Thk pre laminated particle board Back : 9mm Thk pre laminated particle board Edge : All exposed area with 2mm thick PVC edge lipping Handle : Finger groove handle Lock : Regular lock</p>	No	12		
9	<p>AMAZE MB ML ADJ ARMS * Amaze Medium Back Mesh Chair * AN 70 Mesh * Self Calibrating Multilock Mechanism * Adjustable Lumbar Support * One Way Adjustable Arms (Height) * Nylon Base * Fabric Upholstered Cushion Seat Chair Net Weight: 14.7±0.5 kg, Seat Depth: 485±10mm, Seat Width: 505±10mm, Chair Width: 660±10mm, Chair Depth: 660±10mm, Minimum Chair Height:</p>	No	16		

	990±10mm, Maximum Chair Height: 1090±10mm, Minimum Seat Height: 470±10mm, Maximum Seat Height: 570±10mm, Arm Rest Height: 160-250mm, Arm Depth: 250±10mm, Width (Arm to Arm): 455±10mm, Backrest Height from Seat: 570±10mm, Backrest Width: 425±10mm				
10	STORAGE Size:900 x 450 x 2100 Specifications: Top & Sides : 18mm Thk pre laminated particle board Back : 9mm Thk pre laminated particle board Shutters : 18mm Thk pre laminated particle board Edge : All exposed area with 2mm thick PVC edge lipping Handle : Finger groove handle Lock : Regular lock	No	3		
11	DISCUSSION TABLE: 900 Dia x 750H Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges End Legs: MS powder coated SWITCH legs. Wire Management: 300mm Aluminium Flip Up and provision to mount switches and sockets on PVC cable dump. Wire Entry: Vertical Wire Entry Cover or Vertebra	No	1		
	Total (Rs.)				
	Add GST (Rs.)				
	Grand Total (Rs.)				

1. Please quote total cost in figures (inclusive of all applicable levies, Taxes, Duties, Transportation, Packing and all other incidentals).
2. Any levies and taxes like Packing, Forwarding, Freight, Insurance charges, GST etc. are mandatorily to be included in the total cost.
3. Any alteration/cutting/over-writing in the rates should be attested by the authority signing the bid. Bids received with alteration/ cutting/over- writings without attestation will not be considered.
4. If, in the price structure quoted by a bidder, there is discrepancy between the unit price and the total price (which is obtained by multiplying the unit price by the quantity), the unit price shall prevail, and the total price corrected accordingly.
5. If there is an error in a total price, which has been worked out through addition and/or subtraction of subtotals, the subtotals shall prevail and the total corrected.
6. If, as per the judgment of the purchaser, there is any such arithmetical discrepancy in a tender, the same will be suitably conveyed to the bidder. If the bidder does not agree to the observation of the purchaser, the tender is liable to be ignored.
7. If individual price of all the items is not given item wise, then the tender will not be considered and liable to be rejected.
8. As the basis of bidding is unit rate, it will be assumed that in absence of any other information, rate quoted is for per unit.
9. In case of Tie i.e., the price quoted by two or more bidders are the same and the same being L-1, then the bid from the bidder with maximum average annual turnover during the last three financial years ending 31st March 2025 will be rated as the L1.

Addressed to

The Head Commercial,  
Foundation for Science Innovation & Development (FSID),  
Innovation Centre, Indian Institute of Science,  
Near Maramma Circle Gate,  
Bengaluru - 560012

**All other terms and conditions of RFQ document remains unchanged.**

Head Commercial  
Foundation for Science Innovation and Development